

## SP 430



## INFORMATION

Industrial series of thickening machines which ideally compliment the SR planer and again are ideal for the small furnitur making workshops who are looking for a compact yet heavy duty, user friendly, accurate and reliable machine.

### SP Thicknesser Features

- Raise and lower of thickness bed on 4 lead screws
- Standard 4 knife cutterblock, 120mm diameter
- Additional 4 point locking to thickness bed
- Electro magnetic brake motor
- All machines 400 volts, 50 Hz

SP-line thicknesser

430

Worktable:

Width	mm	450
Length	mm	900
Maximum planing width	mm	430
Cutterblock speed	rpm	4500
Cutterblock diameter	mm	117
Number of blades	qty	4
Maximum thickness of the material processed	mm	250
Minimum thickness of the material processed	mm	5
Minimum length of the material planed	mm	310
Feeding speed	m/min	4/8
Main motor power	kW	4
Worktable lifting	Manual by handwheel	
Feeding motor power	kW	0.58/0.75
Main motor speed	rpm	2880

Worktable lifting motor speed	rpm	1440
Feeding motor speed	rpm	1440/2880
Suction port diameter	mm	150
Required minimum capacity of the suction unit	m <sup>3</sup> /hr	1800
Speed of suctioned air	m/s	22
Outer dimensions:		
Length	mm	1000
Width	mm	900
Height	mm	1200
Weight	kg	690

## Options

- Motorised raise and lower of the thickness bed
- Mechanical or digital readout to the thickness
- Additional front and rear support rollers on thickness bed
- Grooved table
- Tersa cutterblock
- Increased motor power

- Sectional infeed roller
- Rollers in thickness bed
- 2 x outfeed rollers

£4,880 exc. VAT

**Download this  
page as a PDF**

**See all items in...**

- **Thicknessers...**